

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

bounded relative error

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 1,150,000 for **bounded relative error**. (0.24 seconds)**Bounded Relative Error - What does BRE stand for? Acronyms and ...**

What does BRE stand for? Definition of **Bounded Relative Error** in the list of acronyms and abbreviations provided by the Free Online Dictionary and ...  
 acronyms.thefreedictionary.com/**Bounded+Relative+Error** - 26k - [Cached](#) - [Similar pages](#)

**General Conditions for Bounded Relative Error in Simulations of ...**

We establish a necessary condition for any importance sampling scheme to give **bounded relative error** when estimating a performance measure of a highly ...  
 citeseer.ist.psu.edu/nakayama96general.html - 28k - [Cached](#) - [Similar pages](#)

**: Volume 4, Issue 2, Bounded relative error in ...**

We show that under certain assumptions, these techniques have the **bounded relative error** property, i.e., the **relative error** of the simulation estimate ...  
 portal.acm.org/citation.cfm?id=175007.175008&coll=GUIDE&dl=GUIDE&idx=175007&part=periodic... - [Similar pages](#)

**JSTOR: Estimates of Bounded Relative Error for the Ratio of ...**

ESTIMATES OF **BOUNDED RELATIVE ERROR** FOR THE RATIO OF VARIANCES OF NORMAL DISTRIBUTIONS STANLEY REITER\* Purdue University 1 STATISTICAL methods for comparing ...  
 links.jstor.org/sici?sici=0162-1459(195609)51%3A275%3C481%3AEOBREF%3E2.0.CO%3B2-2 - [Similar pages](#)

**JSTOR: Estimates of Bounded Relative Error for the Mean Life of an ...**

ESTIMATES OF **BOUNDED RELATIVE ERROR** the underlying distribution is exponential this means that we must observe at least 271 failures in order to get an ...  
 links.jstor.org/sici?sici=0040-1706(196102)3%3A1%3C107%3AEOBREF%3E2.0.CO%3B2-U - [Similar pages](#)  
 [ [More results from links.jstor.org](#) ]

**[PS] General Conditions for Bounded Relative Error in Simulations of ...**

File Format: Adobe PostScript  
 and sufficient condition for **bounded relative error** for the performance measure ... yield **bounded relative error** and used it to establish that balanced failure ...  
 web.njit.edu/~marvin/gfb0.ps - [Similar pages](#)

**CAT.INIST**

For highly reliable Markovian systems, the resulting ratio formula consists of one expectation that cannot be estimated with **bounded relative error** when ...  
 cat.inist.fr/?aModele=afficheN&cpsidt=2272157 - [Similar pages](#)

**ESTIMATES OF BOUNDED RELATIVE ERROR FOR THE RATIO OF VARIANCES OF ...**

STATISTICAL PROCESSES, ANALYSIS OF VARIANCE, ERRORS, STATISTICAL DISTRIBUTIONS.  
 stinet.dtic.mil/oai/oai?&verb=getRecord&metadataPrefix=html&identifier=AD0067904 - 2k - [Cached](#) - [Similar pages](#)

**[PDF] Bounded Relative Efficiency in Rare Event Simulation**

File Format: PDF/Adobe Acrobat  
 up to now focused on **bounded relative error** (BRErr) or. **bounded normal approximation**

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

approximation algorithm bounded error

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 1,060,000 for **approximation algorithm bounded error**. (0.32 seconds)**An Efficient, Error-Bounded Approximation Algorithm for Simulating ...**

An Efficient, **Error-Bounded Approximation Algorithm** for Simulating Quasi-Statics of Complex Linkages. In Proceedings of ACM Symposium on Solid and Physical ...  
gamma.cs.unc.edu/AQ/ - 9k - [Cached](#) - [Similar pages](#)

**[PDF] An Efficient, Error-Bounded Approximation Algorithm for Simulating ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

An Efficient, **Error-Bounded Approximation Algorithm** for Simulating. Quasi-Statics of Complex Linkages. Stephane Redon and Ming C. Lin ...  
gamma.cs.unc.edu/AQ/AQ.pdf - [Similar pages](#)

**Approximation algorithm - Wikipedia, the free encyclopedia**

And **approximation algorithms** has an absolute performance guarantee or **bounded error**  $\epsilon$ , if it has been proven that.  $(s - \epsilon) \leq a \leq (s + \epsilon)$  ...  
en.wikipedia.org/wiki/Approximation\_algorithm - 23k - [Cached](#) - [Similar pages](#)

**: SPM '05, An efficient, error-bounded approximation ...**

An efficient, **error-bounded approximation algorithm** for simulating quasi-statics of complex linkages. Full text, pdf format Pdf (760 KB) ...  
portal.acm.org/citation.cfm?id=1060244.1060264&coll=GUIDE&dl=GUIDE&type=series&idx=106024... - [Similar pages](#)

**[PDF] An efficient, error-bounded approximation algorithm for simulating ...**

File Format: PDF/Adobe Acrobat

**Error-bounded approximation.** Given any user-defined. **error** threshold, our **algorithm** is able to determine an. **approximation** of the linkage acceleration ...  
linkinghub.elsevier.com/retrieve/pii/S0010448506000212 - [Similar pages](#)

**[PDF] Efficient approximation of gray-scale images through bounded error ...**

File Format: PDF/Adobe Acrobat

**Bounded Error** Triangular Meshes. Miguel Angel Garcia. Boris Xavier Vintimilla Angel Doming0 Sappa ... this point, the image **approximation algorithm** pro- ...  
ieeexplore.ieee.org/iel5/6632/17788/00821588.pdf - [Similar pages](#)

**IngentaConnect Approximation Algorithms for Min-Max Tree Partition**

**Approximation Algorithms** for Min-Max Tree Partition ... We show that no polynomial **algorithm** with **bounded error** ratio can be given for the problem unless P ...  
www.ingentaconnect.com/content/ap/al/1997/00000024/00000002/art00848 - [Similar pages](#)

**IngentaConnect Approximation algorithms for minimum tree partition**

The problem is NP-complete, and no polynomial **algorithm** with **bounded error** ratio can be given, unless P = NP. We present an **approximation algorithm** for the ...  
www.ingentaconnect.com/content/els/0166218x/1998/00000087/00000001/art00052 - [Similar pages](#)

**[PS] APPROXIMATION ALGORITHMS FOR THE GEOMETRIC COVERING SALESMAN PROBLEM**File Format: Adobe PostScript - [View as Text](#)

However, some naive choices for such representing points fail to deliver an **approximation algorithm**. with a **bounded error** ratio. ...


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

approximation algorithm bounded error

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)
**Scholar** [All articles](#) [Recent articles](#) Results 1 - 10 of about 106,000 for **approximation algorithm bounded**
**All Results**[D Hochbaum](#)[M Garland](#)[P Heckbert](#)[C Papadimitrio...](#)[M Goemans](#)**Optimization, approximation, and complexity classes - group of 2 »**

C Papadimitriou, M Yannakakis - Proceedings of the twentieth annual ACM symposium on Theory ..., 1988 - portal.acm.org

... triangle inequality, node cover, max cut, and maximum.satisfiability) there are known, simple **approximation algorithms** with **bounded error** ratios (respectively ...Cited by 715 - [Related Articles](#) - [Web Search](#)**Surfaces: polygonal mesh simplification with bounded error - group of 6**

»

AD Kalvin, RH Taylor - Computer Graphics and Applications, IEEE, 1996 -  
ieeexplore.ieee.org... **Error** Alan D. Kalvin IBM TJ Watson Research Center This **algorithm** simplifies  
polyhedralmeshes within prespecified tolerances based on a **bounded approximation** ...Cited by 187 - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)**Approximation schemes for covering and packing problems in image  
processing and VLSI - group of 2 »**

DS Hochbaum, W Maass - Journal of the ACM (JACM), 1985 - portal.acm.org

... all those points. None of the above problems was reported to have a **bounded  
error ratio approximation algorithm**. We shall call an ...Cited by 171 - [Related Articles](#) - [Web Search](#)**[book] Approximation algorithms for NP-hard problems**

DS Hochbaum - 1996 - PWS Publishing Co. Boston, MA, USA

Cited by 822 - [Related Articles](#) - [Web Search](#) - [Library Search](#)**Surfaces: Polyhedral approximation with bounded error - group of 4 »**AD Kalvin, RH Taylor - Medical Imaging: Image Capture, Formatting, and Display, 1994 -  
spie.org... polyhedral **approximation with bounded error** Kalvin, Alan D ... The surfaces  
**algorithm**performs the simplification based on a **bounded approximation** criterion that ...Cited by 36 - [Related Articles](#) - [Cached](#) - [Web Search](#)**Fast Approximation Algorithms for the Knapsack and Sum of Subset  
Problems - group of 2 »**

OH Ibarra, CE Kim - Journal of the ACM (JACM), 1975 - portal.acm.org

... of the **algorithm** for the un- **bounded** knapsack problem ... depending only on  $\epsilon$ . (c)  
**Error**analysis: We ... 3.1 shows that an  $\epsilon$ -**approximation algorithm** exists which runs ...Cited by 229 - [Related Articles](#) - [Web Search](#)**Point-based value iteration: An anytime algorithm for POMDPs - group of  
21 »**J Pineau, G Gordon, S Thrun - International Joint Conference on Artificial Intelligence ( ...,  
2003 - cs.cmu.edu


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

lru stack distance

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)
**Scholar** [All articles](#) [Recent articles](#) Results 1 - 10 of about 1,180 for **lru stack distance**. (0.10 seconds)
**All Results**[Y Zhou](#)[T Kelly](#)[J Robinson](#)[C Ding](#)[P Denning](#)**LRU stack processing - group of 3 »**

BT Bennett, VJ Kruskal - IBM Journal of Research and Development, 1975 - research.ibm.com

 ... To maintain the **LRU stack** and to obtain the **stack distance** for each reference, Mattson et al. proposed a concurrent search and update from the top down. ...

[Cited by 31](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
**Implementing stack simulation for highly-associative memories - group of 5 »**

YH Kim, MD Hill, DA Wood - Proceedings of the 1991 ACM SIGMETRICS conference on ..., 1991 - portal.acm.org

 ... tion is (1) insensitive to mean **stack distance**, and (2 ... system traces, which have mean **stack distances** in ... BT Bennett and VJ Kntskal, **LRU Stack Prnecssing**, IBM ...

[Cited by 24](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)
**Characterizing reference locality in the WWW - group of 7 »**

V Almeida, A Bestavros, M Crovella, A de Oliveira - Parallel and Distributed Information Systems, 1996., Fourth ..., 1996 - ieeeexplore.ieee.org

 ... of **LRU** caches as a means of testing the accuracy of our methods, which we will do in Section 4. BU Trace Original Scrambled Mean **Stack Distance** 479.798 645.586 ...

[Cited by 351](#) - [Related Articles](#) - [Web Search](#)
**Data cache using dynamic frequency based replacement and boundary criteria - group of 3 »**

JT Robinson - US Patent 5,043,885, 1991 - Google Patents

 ... In general, none of the prior art references discloses ' making replacement decisions based on a combination of **LRU stack distance** and data reference ...

[Cited by 78](#) - [Related Articles](#) - [Web Search](#)
**Calculating stack distances efficiently - group of 5 »**

G Almási, C Caşcaval, DA Padua - Proceedings of the workshop on Memory system performance, 2003 - portal.acm.org

 ... OF THE **LRU STACK ALGORITHM** Figure 2 shows a formal three-step description of the **LRU stack** algorithm, as ... count: compute di8t(T), the **stack distance** for the ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
**Method for dynamically allocating LRU/MRU managed memory among concurrent sequential processes - group of 2 »**

RL Mattson, JA Rodriguez-Rosell - US Patent 4,463,424, 1984 - Google Patents

 ... hit/miss ratios for a 30 given **LRU** page replacement ... a method and means for determining

 the **stack distance** of the ... item and then updating of the entire **stack** in a ...

[Cited by 66](#) - [Related Articles](#) - [Web Search](#)
**Reuse distance as a metric for cache behavior - group of 6 »**

K Beyls, ED Hollander - Proceedings of the IASTED Conference on Parallel and ..., 2001 - ww2.cs.fsu.edu

 ... It has the following interesting property: Lemma 1 In a fully associative **LRU** cache